

## MACHINE FILMS

Impressive Strength, Puncture Resistance, and Stretch Performance

# ELECTRO

This multi-talented, cost-effective machine film provides reliable performance when wrapping loads. It has remarkable levels of strength, durability, and puncture resistance. The cast manufacturing process provides pre-stretch up to 250% percent and ABC load profile capability.

### Benefits

- One-sided cling
- Exceptional puncture and tear resistance
- High level of holding force

### Features

- Decreased film breakage during the wrapping process
- High load stability during movement
- Best economic value

PRODUCT NUMBER	FILM WIDTH/INCHES	FILM GAUGE	MICRON	ROLL LENGTH/ FEET	CASE/ROLL WEIGHT/LBS	CASE/ROLLS PER PALLET
SPE209047	19.69	47	11.9	9000	33.3	40
SPE208057	19.69	57	14.5	8000	35.9	40
SPE205063	19.69	63	16	5000	24.8	50
SPE207067	19.69	67	17	7000	36.9	40
SPE206080	19.69	80	20.3	6000	37.8	40
SPE205080	19.69	80	20.3	5000	31.5	40
SPE205090	19.69	90	22.5	5000	35.4	40
SPE2040120	19.69	120	30	4000	37.8	40

## MACHINE FILMS

Impressive Strength, Puncture Resistance, and Stretch Performance

# QUANTUM

A superior machine film made with the latest generation of premium resins Quantum provides excellent unitization, improved load integrity, and cost efficiency pallet after pallet. The puncture resistance, holding force, stability, and clarity, make it the next level of performance. Ideal for Turntable or rotary-arm high-speed wrappers.

### Benefits

- Superior down-gauge capabilities of 15%
- Great Cling
- Competitive unit cost with high performance one-sided

### Features

- Greater than 300% stretch
- Cast – one sided cling
- Excellent puncture resistance

PRODUCT NUMBER	FILM WIDTH/INCHES	FILM GAUGE	MICRON	ROLL LENGTH/ FEET	CASE/ROLL WEIGHT/LBS	CASE/ROLLS PER PALLET
SPQ209047	19.69	47	11.9	9000	33.3	40
SPQ208057	19.69	57	14.5	8000	35.9	40
SPQ205063	19.69	63	16	5000	24.8	50
SPQ207067	19.69	67	17	7000	36.9	40
SPQ206080	19.69	80	20.3	6000	37.8	40
SPQ205080	19.69	80	20.3	5000	31.5	40
SPQ205090	19.69	90	22.5	5000	34.5	40
SPQ2040120	19.69	120	30	4000	37.8	40

## MACHINE FILMS

Impressive Strength, Puncture Resistance, and Stretch Performance

# VOLT

Utilizing the most advanced resins, Stalwart Plastics has carefully crafted Volt to provide the performance necessary to down gauge and use significantly less film per load. Supporting your sustainability goals, this multi-talented, machine film provides high performance while downgauging. With remarkable levels of strength, durability, puncture resistance, and a minimum 300% of pre-stretch potential, Volt represents an unparalleled film that offers exceptional memory and load retention capabilities for automated high-speed rotary arm wrappers.

### Benefits

- Superior holding force
- Great puncture resistance
- Better stability for your load with less film

### Features

- Greater than 300% stretch
- Cast - one sided cling
- Down Gauge Capability

PRODUCT NUMBER	FILM WIDTH/INCHES	FILM GAUGE	MICRON	ROLL LENGTH/ FEET	CASE/ROLL WEIGHT/LBS	CASE/ROLLS PER PALLET
SPV209541	19.69	41	10.4	9000	30.7	40
SPV209047	19.69	47	11.9	9000	33.3	40
SPV209051	19.69	51	13	9000	36.1	40
SPV208057	19.69	57	14.5	8000	35.9	40
SPV207561	19.69	61	15.25	7500	36.0	40
SPV2075063	19.69	63	16	5000	24.8	50
SPV207067	19.69	67	17	5000	36.9	40
SPV207071	19.69	71	18	7000	39.1	40
SPV206077	19.69	77	20.3	6000	36.4	40
SPV205080	19.69	80	20.6	5000	31.5	40
SPV204590	19.69	90	23.1	4500	31.9	40

## MACHINE FILMS

Impressive Strength, Puncture Resistance, and Stretch Performance

# NANO

The ultimate choice for down gauging. This film utilizes our Nanotechnology to provide a 59-layer film with unparalleled performance. More layers mean more strength with less film. There is no better choice to reduce plastic consumption than Nano by Stalwart Plastics. 59 layers allow remarkable levels of strength, durability, and puncture resistance with up to 20% less plastic.

+ Enhanced Strength and Durability:

+ Thinner Films with Optimal Performance:

+ Cost Efficiency:

+ Environmental Sustainability:

+ Improved Puncture Resistance:

+ Versatility in Application:

+ Consistent Performance:

### Benefits

- One sided cling
- Exceptional puncture and tear resistance
- High-level holding force

### Features

- Decreased film gauge with improved performance
- High load stability during movement
- 250% stretch

PRODUCT NUMBER	FILM WIDTH/INCHES	FILM GAUGE	MICRON	ROLL LENGTH/ FEET	CASE/ROLL WEIGHT/LBS	CASE/ROLLS PER PALLET
SPN209541	19.69	41	10.4	9500	30.7	40
SPN209047	19.69	47	11.9	9000	33.33	40
SPN209051	19.69	51	13	9000	36.1	40
SPN208057	19.69	57	14.25	8000	35.9	40
SPN207561	19.69	61	15.5	7500	36.0	40
SPN207563	19.69	63	16	7500	24.8	40
SPN207067	19.69	67	17	7000	36.9	40
SPN207071	19.69	71	18	7000	39.1	40
SPN206077	19.69	77	20.3	6000	36.4	40
SPN205080	19.69	80	20.6	5000	31.5	40
SPN204590	19.69	90	23.1	4500	31.9	40